Clinical Endocrinology (1989), **30**, 709–714

Author Index to Volume 30

ABEL, E.D. see Ng, L.L.

ABRAHAMSON, M.J. see Wormald, P.J.

ADAMS, C.B.T. see Bevan, J.S.

ADAMS, J. see Hague, W.M.

AHMAD, J. see Dash, R.J.

ALAGHBAND-ZADEH, J. see Eden, J.A.

ALBA-ROTH, J., LOSA, M., SPIESS, Y., SCHOPOHL, J., MÜLLER, O.A. & WERDER, K. VON. Interaction of clonidine and GHRH on GH secretion *in vitro* and *in vivo*, 485

ALBERTI, K.G.M.M. see Møller, N.

AMINO, N. see Tamaki, H.

ANDERSEN, A.N. see Boesgaard, S.

ANDERSON, J.V. see O'Hare, J.P.

ANDERSON, J.V. see Wynick, D.

ARCE, V. see Devesa, J.

ASA, S.L. see Bevan, J.S.

ATKINSON, A.B., BEACOM, R., KENNEDY, A.L., HADDEN, D.R. & SHERIDAN, B. Plasma ACTH responses to cortisol infusion are similar in patients with primary hypoadrenalism and patients studied some years after bilateral adrenalectomy for Cushing's syndrome, 581

ATKINSON, A.B. see McCance, D.R.

BALS-PRATSCH, M., KNUTH, U.A., HÖNIGL, W., KLEIN, H.M., BERGMAN, M. & NIESCHLAG, E. Pulsatile GnRH-therapy in oligozoospermic men does not improve seminal parameters despite decreased FSH levels, 549

BATRINOS, M., GEORGIADIS, E., PANITSA-FAFLIA, CH. & STRATIGOPOULOS, S. Increased GH response to GHRH in normal tall men, 13

BAUCOM, C.E. see Brown, R.T.

BAYLIS, P.H. see Thompson, C.J.

BEACOM, R. see Atkinson, A.B.

BECKETT, G.J. see Gow, S.M.

BECKWITH, R. see Møller, N.

BEER, S.F., PARR, J.H., TEMPLE, R.C. & HALES, C.N. The effect of thyroid disease on proinsulin and C-peptide levels, 379

BENGTSSON, B.-Å., BRUMMER, R.-J.M., EDÉN, S. & BOSAEUS, I. Body composition in acromegaly, 121

BENKER, G., KOTULLA, P., KENDALL-TAYLOR, P., EMRICH, D. & REINWEIN, D. TSH binding inhibiting antibodies in hyperthyroidism: relationship to clinical signs and hormone levels, 19

BERGA, S.L. & YEN, S.S.C. Opioidergic regulation of LH pulsatility in women with polycystic ovary syndrome, 177

BERGMAN, M. see Bals-Pratsch, M.

BESHYAH, S. see Sherif, I.H.

BESSER, G.M. see Cunnah, D.

BESSER, G.M. see Howlett, T.A.

BESSER, G.M. see Stafford, P.J.

BEVAN, J.S., ASA, S.L., ROSSI, M.L., ESIRI, M.M., ADAMS, C.B.T. & BURKE, C.W. Intrasellar gangliocytoma containing gastrin and growth hormone-releasing hormone associated with a growth hormone-secreting pituitary adenoma, 213

BEVAN, J.S. & BURKE, C.W. Perifusion studies of bromocriptine-treated and untreated macroprolactinomas: effects of dopamine, bromocriptine and TRH, 667

BEVAN, J.S. see PAGE, M.D.

BLOOM, S.R. see O'Hare, J.P.

BLOOM, S.R. see WYNICK, D.

BOESGAARD, S., HAGEN, C., ANDERSEN, A.N., ELDRUP, E. & LANGE, P. Effect of fenoldopam, a dopamine D-1 receptor agonist, on pituitary, gonadal and thyroid hormone secretion, 231

BOSAEUS, I. see Bengtsson, B.-Å.

BOSAIRI, S. see Sherif, I.H.

BOYAGES, S., HALPERN, J.-P., MABERLY, G.F., EASTMAN, C.J., CARR, P., DEZHONG, Y., CHUAN-YI, Y. & CHENEN, J. Effects of protracted hypothyroidism on pituitary function and structure in endemic cretinism, 1

BRADLEY, H. see Wilson, R.

BRAIN, C.E. see Hindmarsh, P.C.

BRAZEAU, P. see Serri, O.

BROOK, C.G.D. see Hindmarsh, P.C.

BROWN, G.M. see Zis, A.P.

BROWN, R.T., LAKSHMANAN, M.C., BAUCOM, C.E. & POLINSKY, R.J. Changes in blood pressure and plasma noradrenaline in short-term hypothyroidism, 635

BRUMMER, R.-J. see Bengtsson, B.-Å.

BUCHANAN, C.R. see Buzi, F.

BURKE, C.W. see Bevan, J.S.

BURR, W.A. see Ismail, A.A.A.

BUTLER, P.C. see Møller, N.

BUTLER, G.E., WALKER, R.F., WALKER, R.V., TEAGUE, P., RIAD-FAHMY, D. & RATCLIFFE, S.G. Salivary testosterone levels and the progress of puberty in the normal boy, 587

BUZI, F., BUCHANAN, C.R., MORRELL, D.J. & PREECE, M.A. Antigenicity and efficacy of authentic sequence recombinant human growth hormone (somatropin): first-year experience in the United Kingdom, 531

Cabanillas, A.M., Masini-Repiso, A.M. & Coleoni, A.H. Monoamine oxidase (MAO) activity and its forms in normal and pathological human thyroid tissues, 681
Caldwell, G. see Gow, S.M.
Capretti, L. see Chiodera, P.
Carmichael, D.J.S. see Williams, T.D.M.
Carr, P. see Boyages, S.
Carter, G.D. see Eden, J.A.
Chapman, M.G. see Dixon, J.E.
Charlesworth, M. see Howlett, T.A.
Chenen, J. see Boyages, S.
Chiodera, P., Gnudi, A., Volpi, R., Marchesi, C., Marchesi, M., Davoli, D., Capretti, L. & Coiro, V. Effects of the GABAergic agent sodium valproate on the arginine vasopressin response to hypertonic stimulation and upright posture in man, 389
Chisnall, W.N. see Ford, H.C.
Chopra, M. see Wilson, R.
Christensen, N.J. see Møller, N.
Christensen, S.E. see Thuesen, L.
Christiansen, C. see Overgaard, K.
Chuan-yi, Y. see Boyages, S.
Clark, C.M. see Zis, A.P.
Clarke, D.G. see Macleod, A.F.
Coiro, V. see Chiodera, P.
Coleoni, A.H. see Cabanillas, A.M.
Collins, C.D. see Macleod, A.F.
Conway, G.S., Honour, J.W. & Jacobs, H.S. Heterogeneity of the polycystic ovary syndrome: clinical, endocrine and ultrasound features in 556 patients, 459
Corrall, R.J.M. see O'Hare, J.P.
Coy, D.H. see Howlett, T.A.
Coy, D.H. see Stafford, P.J.
Cunnah, D., Perry, L., Dacie, J.A., Grant, D.B., Lowe, D.G., Savage, M.O. & Besser, G.M. Bilateral testicular tumours in congenital adrenal hyperplasia: a continuing diagnostic and therapeutic dilemma, 141

Dacie, J.A. see Cunnah, D.
Dalton, D.J. see O'Hare, J.P.
d'Armiento, M.R. see Nunziata, V.
Dash, R.J., Ahmad, J., Sethi, B.K. & Sialy, R. Failure of long-term cyproheptadine therapy in lowering growth hormone levels in acromegaly, 639
Davidson, K. see Stafford, P.J.
Davoli, D. see Chiodera, P.
Day, R.O. see Ho, K.Y.
De Boer, H., Roelfsema, G., Frölich, M., Kamphuisen, H.A.C. & Van Seters, A.P. Plasma growth hormone profiles and sleep: a study of 13 treated acromegalics, 251
Devesa, J., Lima, L., Lois, N., Fraga, C., Lechuga, M.J., Arce, V. & Tresguerres, J.A.F. Reasons for the variability in growth hormone (GH) responses to GHRH challenge: the endogenous hypothalamic-somatotrophic rhythm (HSR), 367
Dezhong, Y. see Boyages, S.
Dieguez, C. see Page, M.D.
Di Silvio, L. see Hindmarsh, P.C.
Dixon, J.E., Rodin, A., Murby, B., Chapman, M.G. & Fogelman, I. Bone mass in hirsute women with androgen excess, 271
Doga, M. see Giustina, A.
Dunger, D.B. see Edge, J.A.

Eastman, C.J. see Boyages, S.
Eden, J.A., Place, J., Carter, G.D., Alaghband-Zadeh, J. & Pawson, M.E. Is the polycystic ovary a cause of infertility in the ovulatory woman? 77
Eden, J.A., Place, J., Carter, G.D., Alaghband-Zadeh, J. & Pawson, M.E. The role of chronic anovulation in the polycystic ovary syndrome: normalization of sex-hormone-binding globulin levels after clomiphene-induced ovulation, 323
Edén, S. see Bengtsson, B.-Å.
Edge, J.A., Hourd, P., Edwards, R. & Dunger, D.B. Urinary growth hormone during puberty in normal and diabetic children, 413
Edge, J.A., Human, D.H., Matthews, D.R. & Dunger, D.B. Spontaneous growth hormone (GH) pulsatility is the major determinant of GH release after thyrotrophin-releasing hormone in adolescent diabetics, 397
Edwards, R. see Edge, J.A.
El-Awady, M.K., Salam, M.A., Gad, Y.Z. & El-Saban, J. Dihydrotestosterone regulates plasma sex-hormone-binding globulin in prepubertal males, 279
Eldrup, E. see Boesgaard, S.
El-Saban, J. see El-Awady, M.K.
Emrich, D. see Benker, G.
Esiri, M.M. see Bevan, J.S.
Exley, A. see O'Malley, B.P.

Falconer-Smith, J.F. see O'Malley, B.P.
Fenzi, G.F. see Marcocci, C.
Ferrier, I.N. see Leake, A.
Fogelman, I. see Dixon, J.E.
Ford, H.C., Lim, W.C., Chisnall, W.N. & Pearce, J.M. Renal function and electrolyte levels in hyperthyroidism: urinary protein excretion and the plasma concentration of urea, creatinine, uric acid, hydrogen ion and electrolytes, 293
Fraga, C. see Devesa, J.
Frölich, M. see de Boer, H.

GAD, Y.Z. see El-Awady, M.K.
GEORGIADIS, E. see Batrinos, M.
GIANNATTASIO, R. see Nunziata, V.
GIORDANO, G. see Giusti, M.
GIOVANNI, G. DI see Nunziata, V.
GIUSTI, M., LOMEO, A., TORRE, R., SGHEDONI, D., MAZZOCCHI, G., DURANTE, R. & GIORDANO, G. Effect of subacute cabergoline treatment on prolactin, thyroid simulating hormone and growth hormone response to simultaneous administration of thyrotrophin-releasing hormone and growth hormone-releasing hormone in hyperprolactinaemic women, 315
GIUSTINA, A., ROMANELLI, G., DOGA, M., PIZZOCOLO, G. & GIUSTINA, G. Effects of intranasal calcitonin administration on pituitary GH response to hGHRH (1–29) NH_2, 699
GIUSTINA, G. see Giustina, A.
GLUCKMAN, P.D. see Reid, I.R.
GNUDI, A. see Chiodera, P.
GOLDNER, E. see Zis, A.P.
GORDON, D.S. see McCance, D.R.
GOW, S.M., CALDWELL, G., TOFT, A.D. & BECKETT, G.J. Different hepatic responses to thyroxine replacement in spontaneous and ^{131}I-induced primary hypothyroidism, 505
GRANT, D.B. see Cunnah, D.
GRIFFITHS, H.W. see Leake, A.
GROSSMAN, A. see Howlett, T.A.
GROSSMAN, A. see Stafford, P.J.

HADDEN, D.R. see Atkinson, A.B.
HADDEN, D.R. see McCance, D.R.
HAGEN, C. see Boesgaard, S.
HAGUE, W.M., HONOUR, J.W., ADAMS, J., VECSEI, P. & JACOBS, H.S. Steroid responses to ACTH in women with polycystic ovaries, 355
HALE, P.J. & NATTRAS, M. Metabolic profiles in patients with insulinoma, 29
HALES, C.N. see Beer, S.F.
HALPERN, J.-P see Boyages, S.
HARKER, M. see Ng, L.L.
HENNINGSEN, P. see Thuesen, L.
HINDMARSH, P.C., MATTHEWS, D.R., BRAIN, C.E., PRINGLE, P.J., DI SILVIO, L., KURTZ, A.B. & BROOK, C.G.D. The half-life of exogenous growth hormone after suppression of endogenous growth hormone secretion with somatostatin, 443
HO, K.Y., WEISSBERGER, A.J., STUART, M.C., DAY, R.O. & LAZARUS, L. The pharmacokinetics, safety and endocrine effects of authentic biosynthetic human growth hormone in normal subjects, 335
HO, K.Y. see Weissberger, A.J.
HOFLAND, L.J., VAN KOETSVELD, P.M., VERLEUN, T.M. & LAMBERTS, S.W.J. Glycoprotein hormone alpha-subunit and prolactin release by cultured pituitary adenoma cells from acromegalic patients: correlation with GH release, 601
HÖNIGL, W. see Bals-Pratsch, M.
HONOUR, J.W. see Conway, G.S.
HONOUR, J.W. see Hague, W.M.
HOURD, P. see Edge, J.A.
HOWLETT, T.A., GROSSMAN, A., MCLOUGHLIN, L., PERRY, L., WHITE, A., COY, D.H., REES, L.H. & BESSER, G.M. The effect of ovine corticotrophin-releasing factor on the hormonal response to insulin-induced hypoglycaemia, 185
HOWLETT, T.A., WAAS, J.A.H., GROSSMAN, A., PLOWMAN, P.N., CHARLESWORTH, M., TOUZEL, R., REES, L.H., SAVAGE, M.O. & BESSER, G.M. Prolactinomas presenting as primary amenorrhoea and delayed or arrested puberty: response to medical therapy, 131
HUMAN, D.H. see Edge, J.A.

IBBERTSON, H.K. see Reid, I.R.
ICHIHARA, K. see Tamaki, H.
ISMAIL, A.A.A., BURR, W.A. & WALKER, P.L. Acute changes in serum thyrotrophin in treated Addison's disease, 225
IWATANI, Y. see Tamaki, H.

JACOBS, H.S. see Conway, G.S.
JACOBS, H.S. see Hague, W.M.
JIANG, D.H. see Li, Y.
JIANO, D.R. see Li, Y.
JOHANSEN, J.S. see Overgaard, K.
JOHNSON, M.R. see Seckl, J.R.
JOHNSON, M.R. see Williams, T.D.M.

KAMPHUISEN, H.A.C. see De Boer, H.
KELLY GRANT, B.E. see Zis, A.P.
KENDALL-TAYLOR, L. see Benker, G.
KENNEDY, L. see McCance, D.R.
KENNEDY, A.L. see Atkinson, A.B.
KHALID, B.A.K. see Tan, T.T.
KIMURA, M. see Tamaki, H.
KLEIN, H.M. see Bals-Pratsch, M.
KNUTH, U.A. see Bals-Pratch, M.
KOMAKI, G. see Tamai, H.
KOPELMAN, P.G. see Stafford, P.J.
KOTULLA, P. see Benker, G.
KUMA, K. see Tamai, H.
KUMAGAI, L.F. see Tamai, H.
KURTZ, A.B. see Hindmarsh, P.C.

LAKSHMANAN, M.C. see Brown, R.T.
LAMBERTS, S.W.J. see Hofland, L.J.
LANGE, P. see Boesgaard, S.
LAZARUS, L. see Ho, K.Y.

LEAKE, A., GRIFFITHS, H.W., PASCUAL, J.A. & FERRIER, I.N. Corticosteroid-binding globulin in depression, 39
LECHUGA, M.C. see Devesa, J.
LI, Y., JIANG, D.H., WANG, M.L., JIAO, D.R. & PANG, S.F. Rhythms of serum melatonin patients with spinal lesions at the cervical, thoracic or lumbar region, 47
LIGHTMAN, S.L. see Seckl, J.R.
LIGHTMAN, S.L. see Williams, T.D.M.
LIM, W.C. see Ford, H.C.
LIMA, L. see Devesa, J.
LOIS, N. see Devesa, J.
LOMEO, A. see Giusti, M.
LOPEZ, G. see Marcocci, C.
LOSA, M. see Alba-Roth, J.
LOWE, D.G. see Cunnah, D.
LOWY, C. see Macleod, A.F.

MABERLY, G.F. see Boyages, S.
MACLEOD, A.F., CLARKE, D.G., PAMBAKIAN, H., LOWY, C., SONKESEN, P.H. & COLLINS, C.D. Treatment of acromegaly by external irradiation, 303
MAHABIR, J. see O'Malley, B.P.
MAMMOLI, C. see Marcocci, C.
MANCINI, M. see Nunziata, V.
MARCHESI, M. see Chiodera, P.
MARCOCCI, C., VITTI, P., LOPEZ, G., SANTINI, F., MAMMOLI, C., FENZI, G.F. & PINCHERA, A. Simultaneous assay of thyroid adenylate cyclase- and growth-stimulating antibodies using FRTL-5 cells. Evidence suggesting their identity in patients with Graves' disease, 109
MASER-GLUTH, C. & VECSEI, P. Corticotrophin-releasing factor-like immunoreactivity in human 24 h urine, 405
MASINI-REPISO, A.M. see Cabanillas, A.M.
MATSUBAYASHI, S. see Tamai, H.
MATTHEWS, D.R. see Edge, J.A.
MATTHEWS, D.R. see Hindmarsh, P.C.
MAZZOCCHI, G. see Giusti, M.
MCCANCE, D.R., MCILRATH, E., MCNEILL, A., GORDON, D.S., HADDEN, D.R., KENNEDY, L., SHERIDAN, B. & ATKINSON, A.B. Bilateral inferior petrosal sinus sampling as a routine procedure in ACTH-dependent Cushing's syndrome, 157
MCGARRIGLE, H.H.G. see Selby, P.L.
MCILRATH, E. see McCance, D.R.
MCKILLOP, J.H. see Wilson, R.
MCLOUGHLIN, L. see Howlett, T.A.
MCLOUGHLIN, L. see Stafford, P.J.
MCNEILL, A. see McCance, D.R.
MILLAR, N.D. see O'Hare, J.P.
MILLER, R.P. see Wormald, P.J.
MITSUDA, N. see Tamaki, H.
MIYAI, K. see Tamaki, H.
MØLLER, N., BECKWITH, R., BUTLER, P.C., CHRISTENSEN, N.J., ØRSKOV, H. & ALBERTI, K.G.M.M. Metabolic and hormonal responses to exogenous hyperthermia in man, 651
MORAT, P. see Tan, T.T.
MORITA, T. see Tamai, H.
MORRELL, D.J. see Buzi, F.
MÜLLER, O.A. see Alba-Roth, J.
MURBY, B. see Dixon, J.E.

NAGATAKI, S. see Tamai, H.
NATTRASS, M. see Hale, P.J
NATTRASS, M. see Singh, B.M.
NG, M.L. see Tan, T.T.
NG, L.L., HARKER, M. & ABEL, E.D. Leucocyte sodium content and sodium pump activity in overweight and lean hypertensives, 191
NIESCHLAG, E. see Bals-Pratsch, M.
NIKOLICS, K. see Wormald, P.J.
NUNZIATA, V., GIANNATTASIO, R., GIOVANNI, G.DI, D'ARMIENTO & MANCINI, M. Hereditary localized pruritus in affected members of a kindred with multiple endocrine neoplasia type 2A (Sipple's syndrome), 57

O'HARE, J.P., ANDERSON, J.V., MILLAR, N.D., DALTON, N., TYMMS, D.J., BLOOM, S.R. & CORRALL, R.J.M. Hormonal response to blood volume expansion in diabetic subjects with and without autonomic neuropathy, 571
O'MALLEY, B.P., ROSENTHAL, F.D., EXLEY, A., FALCONER-SMITH, J.F., MAHABIR, J. & WOODS, K.L. Low serum TSH with normal total thyroid hormone levels: an indicator of free T4 excess, 627
ØRSKOV, H. see Thuesen, L.
ØRSKOV, H. see Møller, N.
OVERGAARD, K., RIIS, B.J., CHRISTIANSEN, C., PODENPHANT, J. & JOHANSEN, J.S. Nasal calcitonin for treatment of established osteoporosis, 435

PAGE, M.D., BEVAN, J.S., DIEGUEZ, C., PETERS, J.R. & SCANLON, M.F. Cholinergic blockade with pirenzepine improves carbohydrate tolerance and abolishes the GH response to meals in normal subjects, 519
PAMBAKIAN, H. see Macleod, A.F.
PANG, S.F. see Li, Y.
PANITSA-FAFLIA, CH. see Batrinos, M.
PARR, J.H. see Beer, S.F.
PASCUAL, J.A. see Leake, A.
PAWSON, M.E. see Eden, J.A.
PEACOCK, M. see Selby, P.L.
PEARCE, J.M. see Ford, H.C.

PERRY, L. see Cunnah, D.
PERRY, L. see Howlett, T.A.
PETERS, J.R. see Page, M.D.
PINCHERA, A. see Marcocci, C.
PIZZOCOLO, G. see Giustina, A.
PLACE, J. see Eden, J.A.
PLOWMAN, P.N. see Howlett, T.A.
PODENPHANT, J. see Overgaard, K.
POLINSKY, R.J. see Brown R.T.
PREECE, M.A. see Buzi, F.
PRINGLE, P.J. see Hindmarsh, P.C.

RASIO, E. see Serri, O.
RATCLIFFE, S.G. see Atkinson, A.B.
REES, L.H. see Howlett, T.A.
REES, L.H. see Stafford, P.J.
REID, I.R. Pathogenesis and treatment of steroid osteoporosis, 83
REID, I.R., GLUCKMAN, P.D. & IBBERTSON, H.K. Insulin-like growth factor 1 and bone turnover in glucocorticoid-treated and control subjects, 347
REINWEIN, D. see Benker, G.
REMICK, R.A. see Zis, A.P.
RIAD-FAHMY, D. see Atkinson, A.B.
RIIS, B.J. see Overgaard, K.
ROBERTSON, W.R. see Tsatsoulis, A.
RODIN, A. see Dixon, J.E.
ROELFSEMA, F. see De Boer, H.
ROELFSEMA, F. see Van Schaardenburg, D.
RÖJDMARK, S. & WETTERBERG, L. Short-term fasting inhibits the nocturnal melatonin secretion in healthy man, 451
ROMANELLI, G. see Giustina, A.
ROSENTHAL, F.D. see O'Malley, B.P.O.
ROSSI, M.L. see Bevan, J.S.
ROYSTON, J.P. The statistical analysis of pulsatile hormone secretion data, 211

SALEM, M.A. see El-Awady, M.K.
SANTINI, F. see Marcocci, C.
SAVAGE, M.O. see Cunnah, D.
SAVAGE, M.O. see Howlett, T.A.
SCANLON, M.F. see Page, M.D.
SCHIFTER, S. Calcitonin gene-related peptide and calcitonin as tumour markers in MEN 2 family screening, 263
SCHOPOHL, J. see Alba-Roth, J.
SECKL, J.R., JOHNSON, M.R. & LIGHTMAN, S.L. Vasopressin and oxytocin response to hypertonic saline infusion: effect of the opioid antagonist naloxone, 513
SEEBURG, P.H. see Wormald, P.J.
SELBY, P.L., MCGARRIGLE, H.H.G. & PEACOCK, M. Comparison of the effects of oral and transdermal oestradiol administration on oestrogen metabolism, protein synthesis, gonadotrophin release, bone turnover and climacteric symptoms in post menopausal women, 241
SERRI, O., SOMMA, M., RASIO, E. & BRAZEAU, P. Growth hormone-releasing factor increases serum prolactin concentrations in normal subjects and in patients with pituitary adenomas, 65
SETHI, B.K. see Dash, R.J.
SGHEDONI, D. see Giusti, M.
SHALET, S.M. see Tsatsoulis, A.
SHERIDAN, B. see Atkinson, A.B.
SHERIDAN, B. see McCance, D.R.
SHERIF, I.H., VANDERLEY, C.M., BESHYAH, S. & BOSAIRI, S. Sella size and contents in Sheehan's syndrome, 613
SIALY, R. see Dash, R.J.
SINGH, B.M. & NATTRASS, M. Use of combined oral contraceptive preparations alters the insulin sensitivity of fatty acid and ketone metabolism, 561
SMITH, W.E. see Wilson, R.
SOMMA, M. see Serri, O.
SONKESEN, P.H. see Macleod, A.F.
SPIESS, Y. see Alba-Roth, J.
STAFFORD, P.J., KOPELMAN, P.G., DAVIDSON, K., MCLOUGHLIN, L., WHITE, A. REES, L.H., BESSER, G.M., COY, D.H. & GROSSMAN, A. The pituitary-adrenal response to CRF-41 is unaltered by intravenous somatostatin in normal subjects, 661
STRATIGOPOULOS, S. see Batrinos, M.
STUART, M.C. see Ho, K.Y.
STUART, M.C. see Weissberger, A.J.

TACHI, J. see Tamaki, H.
TAKAICHI, Y. see Tamai, H.
TALBOT, A. see Tsatsoulis, A.
TAMAKI, H., AMINO, N., IWATANI, Y., TACHI, J., KIMURA, M., MITSUDA, N., ICHIHARA, K., TANIZAWA, O. & MIYAI, K. Evaluation of TSH receptor antibody by 'natural in-vivo human assay' in neonates born to mothers with Graves' disease, 493
TAMAI, H., TAKAICHI, Y., MORITA, T., KOMAKI, G., MATSUBAYASHI, G., KUMA, K., WALTER, R.M., KUMAGAI, L.F. & NAGATAKI, S. Methimazole-induced agranulocytosis in Japanese patients with Graves' disease, 525
TAN, T.T., MORAT, P., NG, M.L. & KHALID, B.A.K. Effects of Lugol's solution on thyroid function in normals and patients with untreated thyrotoxicosis, 645
TANIZAWA, O. see Tamaki, H.
TEAGUE, P. see Atkinson, A.B.
TEMPLE, R.C. see Beer, S.F.
THOMSON, J.A. see Wilson, R.

THOMPSON, C.J., WHITE, M.C. & BAYLIS, P.H. Osmoregulation of thirst and vasopressin secretion in Kallmann's syndrome, 539
THEUSEN, L., CHRISTENSEN, S.E., WEEKE, J., ØRSKOV, H. & HENNINGSEN, P. The cardiovascular effects of octreotide treatment in acromegaly: an echocardiographic study, 619
TOFT, A.D. see Gow, S.M.
TORRE, R. see Giusti, M.
TOUZEL, R. see Howlett, T.A.
TRESGUERRES, J.A.F. see Devesa, J.
TSATSOULIS, A., SHALET, S.M., TALBOT, A & ROBERTSON, W.R. Quantitative and qualitative changes in LH secretion following pulsatile GnRH therapy in a man with idiopathic hypogonadotrophic hypogonadism, 167
TYMMS, D.J. see O'Hare, J.P.

VAN KOETSVELD, P.M. see Hofland, L.J.
VAN SCHAARDENBURG, D., ROELFSEMA, F., VAN SETERS, A.P. & VIELVOYE, G.J. Bromocriptine therapy for non-functioning pituitary adenoma, 475
VAN SETERS, A.P. see De Boer, H.
VAN SETERS, A.P. see Van Schaardenburg, D.
VANDERLEY, C.M. see Sherif, I.H.
VECSEI, P. see Hague, W.M.
VECSEI, P. see Maser-Gluth, C.
VERLEUN, T.M. see Hofland, L.J.
VIELVOYE, G.J. see Van Schaardenburg, D.
VITTI, P. see Marcocci, C.

WAAS, J.A.H. see Howlett, T.A.
WALKER, P.L. see Ismail, A.A.A.
WALKER, R.F. see Butler, G.E.
WALKER, R.V. see Atkinson, A.B.
WALTER, R.M. see Tamai, H.
WANG, M.L. see Li, Y.
WEEKE, J. see Thuesen, L.
WEISSBERGER, A.J., HO, K.Y. & STUART, M.C. Quantification of urinary growth hormone (GH) excretion by centrifugal ultrafiltration and radiommunoassay appraisal of the relationship between 24 h urinary GH and mean 24 h serum GH levels in normal and abnormal states of GH secretion, 687
WEISSBERGER, A.J. see Ho, K.Y.
WERDER, K. see Alba Roth, J.
WETTERBERG, L. see Röjdmark, S.
WHITE, A. see Howlett, T.A.
WHITE, A. see Stafford, P.J.
WHITE, M.C. see Thompson, C.J.
WILLIAMS, S.J. see Wynick, D.
WILLIAMS, T.D.M., LIGHTMAN, S.L., JOHNSON, M.R., CARMICHAEL, D.J.S. & BANNISTER, R. Selective defect in gonadotrophin secretion in patients with autonomic failure, 285
WILSON, R., CHOPRA, M., BRADLEY, H., MCKILLOP, J.H., SMITH, W.E. & THOMSON, J.A. Free radicals and Graves' disease: the effects of therapy, 429
WOODS, K.L. see O'Malley, B.P.
WORMALD, P.J., ABRAHAMSON, M.J., SEEBURG, P.H., NIKOLICS, K. & MILLAR, R.P. Prolactin-inhibiting activity of GnRH associated peptide in cultured human pituitary cells, 149
WYNICK, D., ANDERSON, J.V., WILLIAMS, S.J. & BLOOM, S.R. Resistance of metastatic pancreatic endocrine tumours after long-term tretment with the somatostatin analogue octreotide (SMS 201–995), 385

YEN, S.S.C. see Berga, S.L.

ZIS, A.P., REMICK, R.A., CLARK, C.M., GOLDNER, R., KELLY GRANT, B.E. & BROWN, G.M. Effect of morphine on cortisol and prolactin secretion in anorexia nervosa and depression, 421

Clinical Endocrinology (1989), **30,** 715–719

Subject Index to Volume 30

Acromegaly
  body composition in, 121
  with gastrin-containing gangliocytoma and GH-secreting pituitary adenoma, 213
  plasma GH and sleep, 251
  treatment by external irradiation, 303
  hormone release from pituitary adenoma cells of, 601
  cardiovascular effects of octreotide treatment, 613
  failure of cyproheptadine to lower GH, 639
ACTH
  pituitary, and CRF in hypoglycaemia, 185
  and steroid responses in PCO women, 355
  responses to cortisol in hypoadrenaline and after adrenalectomy for Cushing's syndrome, 581
ACTH-dependent Cushing's syndrome
  petrosal sampling in, 157
Addison's disease
  changes in serum TSH, 225
Adrenal hyperplasia
  testicular tumours in, 141
Adrenalectomy
  and ACTH response to cortisol in Cushing's syndrome, 581
Agranulocytosis
  methimazole-induced in Grave's disease, 525
Amenorrhea
  and prolactinomas in arrested puberty, 131
Anabolic steroids
  and osteoporosis, 95
Androgen
  excess in hirsute women, effect on bone mass, 271
Anorexia nervosa
  effect of morphine on secretion of cortisol and PRL in, 421
Antibodies
  TSH binding-inhibiting, in hyperthyroidism, 19
  thyroid growth-stimulating and thyroid adenylate cyclate-stimulating in Graves' disease, 109
Autonomic
  failure and defect in LH secretion, 285
  neuropathy, diabetes, and hormonal response to blood volume expansion, 571
AVP
  response to osmotic and pressure volumetric stimuli: effect of sodium valproate, 389
  response to saline infusion: effect of naloxone, 513
  secretion and osmoregulation of thirst in Kallmann's syndrome, 539

Bisphosphonates
  steroids, and osteoporosis, 94
Blood
  volume expansion and renal function in diabetics, 571
  pressure and noradrenaline in hypothyroidism, 635
Body composition
  in acromegaly, 191
Bone
  steroid osteoporosis, 83
  osteoporosis in hirsute women with androgen excess, 271
  turnover and IGF-1 in glucocorticoid-treated subjects, 347
  nasal calcitonin and osteoporosis, 435
Bromocriptine
  and prolactinomas in arrested puberty, 131
  for non-functioning pituitary adenoma, 475
  dopamine and TRH, effects on macroprolactinomas, 667

C-peptide
  levels and thyroid disease, 379
Cabergoline
  effect on hyperprolactinaemic women, 315
Calcitonin
  steroids, and osteoporosis, 89, 94
  and calcitonin gene-related peptide as tumour markers in MEN 2 screening, 263
  nasal, for osteoporosis, 435
  intranasal, effect on pituitary GH response to GHRH, 699
Calcium
  steroids, and osteoporosis, 86, 93
Carbimazole
  effect on free radicals in Graves' disease, 429
Carbohydrate
  tolerance and pirenzepine cholinergic blockade, 519
Cardiovascular effects
  of octreotide in acromegaly, 613
Cholinergic blockade
  with pirenzepine, carbohydrate tolerance and GH response to meals, 519

Clomiphene
and SHBG levels in PCO syndrome, 323
Clonidine
interaction with GHRH on GH secretion, 485
Corticosteroid-binding globulin
in depression, 39
Corticotrophin-releasing factor-like immunoreactivity
in human urine, 405
Cortisol
effect of morphine on secretion in anorexia nervosa and depression, 421
and ACTH response in hypoadrenaline and after adrenalectomy in Cushing's syndrome, 581
Cretinism
endemic, effect of hypothyroidism on pituitary in, 1
CRF
and pituitary ACTH in hypoglycaemia, 185
CRF-like immunoreactivity in human urine, 405
pituitary–adrenal response unaltered by somatostatin, 661
Cushing's syndrome
petrosal sinue sampling in ACTH-dependent, 157
ACTH responses to cortisol after adrenalectomy in, 581
Cyproheptadine
failure to lower GH in acromegaly, 639

Deflazacort
steroids, and osteoporosis, 95
Depression
corticosteroid-binding globulin in, 39
effect of morphine on secretion of cortisol and PRL in, 421
Diabetes
GH pulsatility and GH release after TRH in, 397
and GH in urine of pubertal children, 413
hormonal response to blood volume expansion, 571
Dihydrotestosterone
regulate SHBG in boys, 279
Dopamine
bromocriptine and TRH, effects on macroprolactinomas, 667

Electrolyte levels
renal function and hyperthyroidism, 293

Fatty acid
metabolism, insulin sensitivity and oral contraceptives, 561
Fenoldopam
effect on pituitary, gonadal and thyroid hormone secretion, 231
Fluoride
steroids, and osteoporosis, 93
Free radicals
and Graves' disease, effect of carbimazole, propylthiouracil and ^{131}I, 429
FSH
and pulsatile GnRH in oligozoospermic men, 549

Gangliocytoma
containing gastrin in acromegaly with pituitary adenoma, 213
Gastrin
in gangliocytoma in acromegalic with pituitary adenoma, 213
GH
response to GHRH in tall men, 13
steroids, and osteoporosis, 89
and sleep in acromegaly, 251
and cabergoline in hyperprolactinaemic women, 315
pharmacokinetics, safety and endocrine effects of biosynthetic, 335
response to GHRH and hypothalamic-somatotroph rhythm, 367
pulsatility determines GH release after TRH in diabetics, 397
in urine in pubertal diabetics, 413
half-life of exogenous after suppression of endogenous with somatostatin, 443
interaction of clonidine and GHRH on secretion of, 485
response to meals and pirenzepine cholinergic blockade, 519
antigenicity and efficacy of somatropin, 531
release from pituitary adenoma cells of acromegalics, 601
in acromegaly, failure of cyproheptadine to lower, 639
urinary, assay, and serum levels, 687
response to GHRH, and intranasal calcitonin, 699
GH-releasing factor
and PRL in normal and pituitary adenoma subjects, 65
GHRH
GH response to in tall men, 13
GH response and the hypothalamic-somatotroph rhythm, 367
interaction with clonidine, effect on GH secretion, 485
and intranasal calcitonin, GH response to, 69?
Globulin
corticosteroid-binding, in depression, 39
Glucocorticoids
and osteoporosis, 83
IGF-1 and bone turnover, 347

Glycoprotein
α-subunit release by pituitary adenoma cells of acromegalics, 601
GnRH
and LH secretion in hypogonadotrophic hypogonadism, 167
pulsatile in oligozoospermic men, 549
GnRH associated peptide
prolactin-inhibiting in pituitary cells, 149
Goitre
in Graves' disease, 109
Gonads
hormone secretion, effect of fenoldopam, 231
Graves' disease
thyroid adenylate cyclase- and growth-stimulating antibodies in, 109
and free radicals, effects of carbimazole, propylthiouracil and ^{131}I treatment, 429
TSH receptor antibodies in neonates of mothers with, 493
and methimazole-induced agranulocytosis, 525
Growth factors
steroids, and osteoporosis, 89

Hepatic response
to thyroxine in spontaneous and ^{131}I-induced hypothyroidism, 505
Hirsutism
bone mass and androgen excess in, 271
Hormone
pulsatile secretion, statistical analysis, 201
and metabolic response to hyperthermia, 651
Hypertensives
leucocyte Na content and Na pump in, 191
Hyperthermia
exogenous; metabolic and hormonal response, 651
Hyperthyroidism
TSH binding-inhibiting antibodies in relation to clinical signs and hormone levels, 19
renal function and electrolyte levels, 293
Hypoglycaemia
insulin-induced, effect of CRF on pituitary ACTH response, 185
Hypogonadotrophic hypoganadism
LH secretion following GnRH therapy, 167
Hypothalamic-somatotroph rhythm
and GH response to GHRH, 367
Hypothyroidism
effect on pituitary in endemic cretinism, 1
hepatic response to thyroxine in spontaneous and ^{131}I-induced, 505
blood pressure and noradrenaline, 635

^{131}I
effect on free radicals in Graves' disease, 429
-induced hypothyroidism, hepatic response to thyroxine, 505
Infertility
and PCO, 77
Insulin
oral contraceptives and fatty acid and ketone metabolism, 561
Insulin-like growth factor 1
and bone turnover in glucocorticoid-treated subjects, 347
Insulinoma
metabolic profile, 29
Iodide
effect of Lugol's solution on thyroid function in thyrotoxicosis, 645

Kallmann's syndrome
osmoregulation of thirst and AVP secretion in, 539
Ketone
metabolism, insulin sensitivity and oral contraceptives, 561

LH
secretion following GnRH in hypogonadotrophic hypogonadism, 167
opioid regulation of in PCO, 177
secretion defect with autonomic failure, 285
Lugol's solution
effects on thyroid in thyrotoxicosis, 645
Lymphokines
steroids, and osteoporosis, 89

MAO
activity in thyroid, 681
Melatonin
rhythms in patients with spinal lesions, 47
secretion inhibited by fasting, 451
Men
GH response to GHRH in tall, 13
testicular tumours in congenital adrenal hyperplasia, 141
LH secretion following GnRH in hypogonadotrophic hypogonadism, 167
SHBG regulation by dihydrotestosterone in boys, 279
oligozoospermic and pulsatile GnRH, 549
salivary levels of testosterone in puberty, 587
MEN 2
calcitonin and calcitonin gene-related peptide screening for thyroid tumour, 263
Metabolic
profiles in insulinoma, 29
and hormonal response to hyperthermia, 651
Methimazole
-induced agranulocytosis in Graves' disease, 525

Morphine
effect on cortisol and PRL secretion in anorexia nervosa and depression, 421
Multiple endocrine neoplasia
Sipple's syndrome, hereditory localized pruritus in, 57

Naloxone
and LH pulsatility in PCO, 177
and LH secretory defect with autonomic failure, 285
effect on AVP and oxytocin response to saline infusion, 513
Noradrenaline
and blood pressure in hypothyroidism, 635

Octreotide
treatment of metastatic pancreatic tumours, 385
cardiovascular effects in acromegaly, 613
Oestradiol
effects of oral and transdermal in postmenopausal women, 241
Oral contraceptive
combined, and insulin sensitivity of fatty acid and ketone metabolism, 561
Osmoregulation
of thirst and AVP secretion in Kallmann's syndrome, 539
Osteoblasts
steroids, and osteoporosis, 84
Osteoclacts
steroids, and osteoporosis, 84
Osteoclasts
and steroids, 83
in hirsute women with androgen excess, 271
and nasal calcitonin, 435
Oxytocin
and AVP response to saline infusion: effect of naloxone, 513

Pancreatic tumours
treatment with octreotide, 385
PCO
and infertility, 77
opiodergic regulation of LH in, 177
role of chronic anovulation: SHBG levels after clomiphene-induced ovulation, 323
syndrome, its heterogeneity and diagnosis, 459
Phosphate
steroids, and osteoporosis, 86
Pirenzepine
cholinergic blockade, carbohydrate tolerance and GH response to meals, 519
Pituitary
effect of hypothyroidism on, in endemic cretinism, 1
adenoma and PRL response to GH-releasing factor, 65
prolactin-inhibiting GnRH associated peptide in, 149
ACTH and CRF in hypoglycaemia, 185
adenoma and gastrin-containing gangliocytoma in acromegaly, 213
secretions, effect of fenoldopam, 231
adenoma, bromcocriptine therapy, 475
adenoma cells of acromegalics and hormone release, 601
Pituitary–adrenal response
to CRF-41 unaltered by somatostatin, 661
Potassium
in acromegaly, 121
PRL
Levels in normal and pituitary adenoma subjects and GH-releasing factor, 65
and prolactinomas, response to bromocriptine, 131
inhibition by GnRH associated peptide in pituitary cells, 149
and effect of cabergoline in hyperprolactinaemic women, 315
effect of morphine on secretion in anorexia nervosa and depression, 421
release by pituitary adenoma cell of acromegalics, 601
Progestogen
and LH pulsatility in PCO, 177
Proinsulin
levels and thyroid disease, 379
Prolactinomas
amenorrhea, delayed or arrested puberty, response to therapy, 131
effect of dopamine, bromocriptine and TRH on, 667
Propylthiouracil
effect on free radicals and Graves' disease, 429
Prostaglandins
steroids, and osteoporosis, 89
Pruritus
hereditary localized in multiple endocrine neoplasia (Sipple's syndrome), 57
PTH
steroids, and osteoporosis, 88
Puberty
arrested, and prolactinomas, 131
in boys and salivary testosterone levels, 587
Pulsatile secretion
hormonal, statistical analysis, 201

Renal function
electrolyte levels and hyperthyroidism, 293
and blood volume expansion in diabetics, 571

Sella
size and content in Sheehan's syndrome, 613
Sex hormones
steroids, and osteoporosis, 90, 95
SHBG
regulation by dihydrotestosterone in boys, 279
Sheehan's syndrome
and sella size and content, 613
Sipple's syndrome
hereditary localized pruritus, 57
Sleep
and plasma GH in acromegaly, 251
Sodium
leucocyte content and pump activity in hypertensives, 191
Somatostatin
suppression of endogenous GH and effect on exogenous, 443
pituitary–adrenal response to CRF-41 unaltered by, 661
Somatropin
antigenicity and efficacy, 531
Spinal lesions
and melatonin rhythms, 47
Statistical analysis
of hormone pulsatile secretion, 201
Steroid osteoporosis
pathogenesis and treatment, 83
Steroids
responses to ACTH in PCO women, 355

Testicular tumour
in congenital adrenal hyperplasia, 141
Testosterone
salivary levels and puberty in boys, 587
Thiazides
steroids, and osteoporosis, 94
Thirst
and AVP secretion in Kallmann's syndrome, 539
Thyroid
hyperfunction in Graves' disease, 109
secretion, effect of fenoldopam, 231
medullary carcinoma: calcitonin and calcitonin gene-related peptide in MEN 2 screening, 263
disease and proinsulin and C-peptide levels, 379
function, effects of Lugol's solution in thyrotoxicosis, 645
activity of MAO in, 681

Thyrotoxicosis
effects of Lugol's solution on thyroid function in, 645
Thyroxine
hepatic response in spontaneous and ^{131}I-induced hypothyroidism, 505
excess; low TSH and normal thyroid levels as indicator of, 627
TRH
GH pulsatility and GH release in diabetics, 397
bromocriptine and dopamine, effects on macroprolactinomas, 667
TSH
changes in treated Addison's disease, 225
effect of cabergoline in hyperprolactinaemic women, 315
low, and normal thyroid levels, as thyroxine excess indicator, 627
TSH binding-inhibiting antibodies
in hyperthyroidism: relation to clinical signs and hormone levels, 19
TSH receptor antibody
evaluation in neonates of mothers with Graves' disease, 493

Valproate
and AVP response to osmotic and pressure volumetric stimuli, 389
Vitamin D
steroids, and osteoporosis, 86, 92

Women
PCO and infertility, 77
amenorrhea and prolactinoma in arrested puberty, 131
opiodergic regulation of LH in PCO, 177
postmenopausal, effects of oral and transdermal oestradiol, 241
with androgen excess: bone mass, 271
effect of cabergoline on hyperprolactinaemic, 315
PCO and SHBG levels following clomiphene, 323
PCO and steroid responses to ACTH, 355
PCO syndrome, its heterogeneity and diagnosis, 459
oral contraceptives and insulin sensitivity of fatty acid and ketone metabolism, 561
sella size and content in Sheehan's syndrome, 613